



For The ON-THE-GO Pet™

INSTRUCTION MANUAL
HAPPY TRAILS
Pet Stroller
PG8100



Interior Dimensions:
24L x 12W x 23H

To see our full line of products, visit us online at: www.petgearinc.com

CUSTOMER SERVICE HELP DESK

customerservice@petgearinc.com

Toll-Free 877-752-9123 - Eastern Standard Time 8am-3pm, Monday through Friday

WARNING!

FOR PETS ONLY.

Not intended to be used as a restraining device for aggressive or dangerous animals that dig, chew or paw aggressively. Do not leave your pet unattended. **PET GEAR** is not liable for any damage caused by aggressive, destructive, immature or untrained animals. Do not use near an open or exposed flame. Failure to follow these warnings and the instructions could result in serious injury or death.


- Do not carry additional bags, goods, or accessories in or on stroller except as recommended in the manufacturer's instructions.
- Recommended use of an approved safety restraint correctly fitted and adjusted.
- Do not leave pet unsupervised in stroller.
- Before making adjustments to stroller ensure that pet's body is clear of any moving parts.
- This stroller is designed for one pet only.
- Do not hang bags from handles as this may cause the product to become unstable.
- Do not use on escalator or stairs; fold stroller and carry.
- Put on brake whenever you park the stroller.
- Ensure stroller is completely erected and check that all locks are engaged before placing pet in stroller.
- Do not overload as stroller may become unstable; maximum weight of pet using this stroller not to exceed 30 lbs.
- Any goods carried in the basket not to exceed 6 lbs.

FEATURES


- Front and rear entries.
- Waterproof tray removes for cleaning.
- Large storage basket.
- Front shock absorbers.
- Rear safety brakes.
- Easy one-hand fold mechanism.
- Bug proof mesh.
- Maximum ventilation.
- Parent tray for keys, water, etc.
- Top window and viewing area.
- For pets up to 30 lbs.
- Front wheels swivel.

PARTS LIST


Check that you have all the parts shown BEFORE assembling your product.
If any parts are missing, call Customer Service. No tools required.




Stroller Frame



Front Wheel Assembly (2)



Back Tray



Rear Wheels (2)



Rear Axle Assemblies



Washer (2)




Cotter Pin (2)



Hub Cap (2)

- A** FOLDING LOCK _____
- B** HANDLE _____
- C** BRAKE LEVERS _____
- D** SWIVEL WHEELS _____
- E** BASKET _____
- F** UTILITIES TRAY _____
- G** MAIN FRAME LOCK RELEASE _____
- H** SECOND FRAME LOCK RELEASE _____
- I** CANOPY _____
- J** CANOPY WINDOW _____



INSTRUCTIONS FOR USE

Spread the canopy apart to the open position.


Ensure the canopy is closed before folding the stroller.

Apply brake lever by pushing down with toe.

Ensure brakes are applied when parking stroller.

Release by lifting brake lever with toe.

WARNING: Never leave stroller parked without applying brakes.




UNFOLDING THE STROLLER

Step 1. Release folding lock (B).

Step 2. Spread handle (C) and seat apart until the frame clicks and locks on both sides.

Step 3. Ensure that the stroller is locked in on both sides before using.



ASSEMBLING REAR WHEELS TO AXLE

Step 1. Slide wheel assembly onto axle.

Step 2. Slide washer onto axle.


Step 3. Fit straight part of cotter pin through hole on axle.

Step 4. Line up each of the tabs in the hub cap with the slots in the wheel, snap hub cap into place.

Step 5. Fit cover to collet by firmly pressing the cover into place.

Step 6. Push wheel hub cap onto the wheel hub and make sure that the securing lugs correctly locate into mating slots in wheel hub.

Step 7. Repeat for other side.




ASSEMBLING REAR AXLE TO FRAME

Step 1. Turn stroller over.

Step 2. Position rear axle assembly as shown.

Step 3. Push rear axle onto frame until it clicks and locks into place on both sides.

NOTE: Pull down firmly on the brackets to be sure they are securely attached to the stroller's rear legs.




ASSEMBLING FRONT WHEELS

Step 1. Place front wheels unit on leg with locking lever pointing downward.

Step 2. Press locking lever and slide swivel housing onto front leg.

Step 3. Release locking lever.




FOLDING STROLLER


Step 1. Before folding the stroller, close the canopy and unzip stroller.

Step 2. Slide second frame lock release (H) to the right, while squeezing the main frame lock release (G) rotate the folding mechanism almost 180 degrees forward until stroller releases and handle is lowered to the rear wheels.

Step 3. When closed, push folding lock (B) onto catch.



Folding Mechanism



LOOKING AFTER YOUR STROLLER

- Always store product in a clean, dry place.
- Not recommended for use on the beach.
- Do not put heavy items on top of the stroller.
- Clean frame by wiping with a lightly oiled cloth.
- Do not use detergent or abrasives. Spot clean fabric with dry cleaning fluid or mild soap and warm water.
- To ensure easy maneuverability and to minimize wear and tear, (especially wheels, axles, and swivels), keep all moving parts clean and lubricated with WD40® or light machine oil.
- NOTE: Do not lubricate brake components or swivel locks.
- Regularly check stroller for loose parts. These should be tightened or replaced.

WHEEL MAINTENANCE

- To clean and lubricate front and rear wheels, push out locking lever under wheel housing to release rear wheel.
- To ensure ease of maneuverability and to minimize wear and tear, keep all moving parts clean and lubricated with WD40® or light machine oil.
- Push wheel sets back on until they click and lock in position; pull on wheel housings to ensure they are secure.
- Push stroller back and forth and rotate swivels around to work in lubricant.
- Clean the rear wheel assembly and the rest of the frame with warm, soapy water; clean off with warm water and dry thoroughly.
- NOTE: Do not lubricate brake components or swivel locks.

REPLACEMENT PARTS

Please have your model number ready before calling. Use only **PET GEAR** replacement parts.



PO Box 99
West Rutland, VT 05777
877-752-9123
www.petgearinc.com

